

Version with markings to show changes made

132. (Amended) A method for inducing acetylcholine receptor synthesis in a cell, comprising contacting said cell with a polypeptide which comprises an epidermal growth factor-like domain, said domain comprising an amino acid sequence set forth in [selected from the group] consisting of] SEQ ID NO: 152 [151, 152, 188, 189, and 190], or said domain comprising an amino acid sequence encoded by a nucleic acid sequence selected from the group consisting of [SEQ ID NO: 154,] SEQ ID NO: 155, SEQ ID NO: 156, SEQ ID NO: 157, SEQ ID NO: 158, and SEQ ID NO: 159, wherein said polypeptide is administered in an amount sufficient to stimulate synthesis of acetylcholine receptors in said cell.

138. (Twice Amended) The method of claim 132, wherein said epidermal growth factor-like domain comprises an amino acid sequence encoded by a nucleic acid sequence selected from the group consisting of [SEQ ID NO: 154,] SEQ ID NO: 155, SEQ ID NO: 156, SEQ ID NO: 157, SEQ ID NO: 158, and SEQ ID NO: 159.

141. (Amended) The method of claim 132, wherein said epidermal growth factor-like domain comprises an amino acid sequence set forth in [SEQ ID NO: 151,] SEQ ID NO: 152 [, or SEQ ID NO: 190].

142. The method of claim 132, wherein said polypeptide binds the p185^{erbB2} receptor.

143. The method of claim 132, wherein said polypeptide is a recombinant polypeptide.

Pending Claims


132. A method for inducing acetylcholine receptor synthesis in a cell, comprising contacting said cell with a polypeptide which comprises an epidermal growth factor-like domain, said domain comprising an amino acid sequence set forth in SEQ ID NO: 152, or said domain comprising an amino acid sequence encoded by a nucleic acid sequence selected from the group consisting of SEQ ID NO: 155, SEQ ID NO: 156, SEQ ID NO: 157, SEQ ID NO: 158, and SEQ ID NO: 159, wherein said polypeptide is administered in an amount sufficient to stimulate synthesis of acetylcholine receptors in said cell.

138. The method of claim 132, wherein said epidermal growth factor-like domain comprises an amino acid sequence encoded by a nucleic acid sequence selected from the group consisting of SEQ ID NO: 155, SEQ ID NO: 156, SEQ ID NO: 157, SEQ ID NO: 158, and SEQ ID NO: 159.

141. The method of claim 132, wherein said epidermal growth factor-like domain comprises an amino acid sequence set forth in SEQ ID NO: 152.

142. The method of claim 132, wherein said polypeptide binds the p185^{erbB2} receptor.

143. The method of claim 132, wherein said polypeptide is a recombinant polypeptide.



Creation date: 08-20-2004
Indexing Officer: TROBINSON - TERRI ROBINSON
Team: OIPEBackFileIndexing
Dossier: 08734592

Legal Date: 05-06-2002

No.	Doccode	Number of pages
1	A...	2
2	CLM	1
3	REM	3

Total number of pages: 6

Remarks:

Order of re-scan issued on